TYPICAL PROCESS CONNECTIONS








1"NPT THREADED PROCESS CONNECTION

TRI-CLAMP® OR NA-CONNECT® SANITARY CONNECTION


FLANGED CONNECTION









TYPICAL DIMENSIONS (FLANGED MODEL SHOWN)









NOTES:

1. FOR ANODIZED ALUMINUM LIGHTS, REFERENCE DATASHEET TA10620-1. APPLICABLE LIGHT SOURCE SELECTION OPTIONS: EH, E1, H7, E7.

- 2. FOR NI. PLATED ALUMINUM LIGHTS. REFERENCE DATASHEET TA10835-1, APPLICABLE LIGHT SOURCE SELECTION OPTIONS; NH. N1. HL. EK.
- 3. ALL REGISTERED TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE OWNERS

	SPECIFICATIONS
MAX. TANK SIZE	25' [7.6m] Ø X 70' [21.3m] DP.
BULB	80W HALOGEN
INPUT VOLTAGE	120V OR 230V AC 50/60 Hz
TIMER	YES - MAXIMIZES BULB LIFE
THERMAL CUT-OUT	YES - REDUNDANT FOR INCREASED SAFETY
INFRA-RED FILTER	YES - REMOVES ALL HEAT. NO PRODUCT BAKE-ON
ENVIRONMENTAL RATINGS	NEMA 4, IP66, EXPLOSION PROOF, FLAME PROOF

NOTICE

THIS DRAWING IS THE PROPERTY OF
J.M. CANTY AND MUST BE RETURNED
WITHOUT REPRODUCTION OR
DUPLICATION, AT ANY TIME UPON
REQUEST, BUT IN ANY EVENT AS
SUPPOSE FOR WHICH IT THE
PURPOSE FOR WHICH IT THE
PUSSESSION OF THE RECIPIENT, IT
MUST BE PROPERLY SAFEGUARDED
AGAINST DISCLOSURE TO ANYONE
EXCEPT THOSE EMPLOYEES WHO
REQUIRE IT FOR WORK OR JOB. THE
RECIPIENT MUST KEEP
CONFIDENTIAL AND REQUIRE HIS
(HER) EMPLOYEES TO KEEP
CONFIDENTIAL THE INFORMATION
CONTAINED HERE ON. NOTICE

IMPORTANT FOR THE REQUIRED MANUFACTURING SPECIFICATIONS SEE DOCUMENT #A4955

NOTE: FAILURE TO RECEIVE DOCUMENT DOES NOT WAIVE **VENDOR** RESPONSIBILITY

JD	4/26/2007	
APPROVAL	DATE	
JD	6/11/2007	Ļ
ENGINEERING ANALYSIS	DATE	i
CURRENT		-
MFG. APPROVAL	DATE	5
PENDING		5
QUALITY CONTROL	DATE	

	DRAWN BY	DATE			_		LAA CAN			
	JD	4/26/2007	e	J.M. CANTY INC. 3100 DONNER RD. JFFALO. N.Y. 14094	CA	NTY	J.M. CANTY INTL. LTE BALLYCOOLIN BUS. P BLANCHARDSTOWN			
	APPROVAL	DATE	"	U.S.A.			DUBLIN			
	JD	6/11/2007			WWW.Ji	MCANTY.COM				
	ENGINEERING ANALYSIS CURRENT MEG APPROVAL	DATE	HYL 80 TOROIDAL LIGHT, INTEGRAL TRANSFORMER, DIRECT MOUNT							
		DATE		ECIFICATION						
	PENDING		SIZE	REVISION		FILE NAME				
	QUALITY CONTROL	DATE	С	0		TC10620-1	00			
	I.O.A.		SCAL	E AS NOTED			SHEET	1	OF	1
2			1							